




# *The* Sophistica COLLECTION



**STANDARD**  
DOORS

[www.standarddoors.com](http://www.standarddoors.com)





# FEATURES



- 1 PVC contour glass moulding with continuous interior screw cap hides unsightly screws.
- 2 Primed wood frame improves weather resistance and is ready to paint.
- 3 White pre-finished 24 gauge steel slab (smooth and woodgrain fiberglass also available).
- 4 Exclusive hybrid aluminum extruded non-warping post provides superior strength, durability and curb appeal.
- 5 Fixed sidelites can be upgraded to semi-active sidelites that can swing open to create a wider entrance.
- 6 Choose either long reach dual-seal compression or magnetic weatherstrip.
- 7 Exclusive sill and corner seal design provide superior water resistance and are easy to clean.
- 8 Clear anodized aluminum sill with PVC thermal barrier.

Waterton Lite Shown



Kordella Lite Shown

# OPTIONAL FIBERGLASS DOORS

Add a factory stained woodgrain fiberglass door to your home and have the elegance and beauty of a solid wood door at a fraction of the price!


Note: The stain colour represented here may not be 100% accurate. Please ask your dealer for a stain sample.




Sonnet Lite Shown

Woodgrain fiberglass can be painted (see colour chart) or stained the following colours:


You also have the option to mix and match colors. Smooth fiberglass doors also available.



**Mahogany**



**Cherry**




**Dark Oak**



**Teak**





# DEFENDOOR SECURITY PACKAGE OPTION



Upgrade to the highest level of security tested in North America with the exclusive **DEFENDOOR** 5 point security system.

The **DEFENDOOR** deadbolt security plate is anchored to both the door frame and the house structure for maximum protection.

The **DEFENDOOR** security plate is bolted to the strike plate




The **DEFENDOOR** security plates are bolted to each hinge and anchored to the house structure.

The **DEFENDOOR** security system is rated Level 40 - the highest obtainable level in North America for resistance to forced entry. Single door tested with a Weiser grade 1 deadbolt.

# ADDITIONAL OPTIONS


## Simulated Divided Lites

Simulate the beautiful look of divided lites on your door with one of four styles: Contemporary Aluminum or PVC, and wide or narrow contour PVC.



## Brickmoulds and Nailing Fin

Brick moulds available in wood, capped wood, aluminum or PVC with "J" trim and optional nailing fin.




## Glass Moulding

Choose the perfect glass moulding to match your door: Contour woodgrain for fiberglass doors, contour aluminum or PVC, resin or contemporary PVC.

# ADDITIONAL OPTIONS

Add these options to enhance your door




## Hardware

Add ball-bearing hinges for smoother operation. Door knockers, peep holes and mail slots also available.



## Multi-point Hardware

Multi-point hardware comes with a variety of handle styles and finishes sure to satisfy your personal taste.



## Installation moulding

Hides unsightly installation screws and adds an elegant finish to your frame. Also increases weather resistance by shielding the weatherstrip.

Cutaway Shown



## Noble Panels/ Dynasty Mouldings

Add these raised panels to your door to give your entrance that extra touch of class.

Available in a variety of different sizes.



## Finials

Enhance your door with a variety of finials to give your hinges a decorative look.




## Unique Hybrid Astragal

Structural aluminum astragal with heavy duty flush bolts gives you the option of opening both doors.



## Choose your colour

Choose from one of our standard colours or a custom colour match. Ask your dealer for a colour chart.



## Internal Grills

Enhance the appearance of your door with a wide variety of designs, shapes and colours.

## Black Anodized sill

Add a touch of beauty and distinction to your home's entryway. See page 28 for image.

## Optional Screen

Add screens to your garden, terrace or double door.




























































## Dual seal compression weatherstrip

Longreach compression weatherstrip contacts two surfaces for superior protection from air and water infiltration.

## Aluminum flatstock or PVC clad frame

Choose either aluminum cladding or PVC capping for your exterior finishing.





# SLAB AND GLASS COMBINATIONS

| Flush   |   |   |   | 1 panel arch  |   | 2 panel   |   |   | 2 panel camber-top  |   |   | 2 panel plank camber-top  |  |   |   | Hollister 2 Panel   |   |   |   |   |
|---|---|---|---|---|---|---|---|---|---|---|---|---|--|---|---|---|---|---|---|---|
|  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| HD  | HD  | HD  | HD  | HD  | HD  | HD/HX   | HD/HX   | HX  | HD  | HD  | HD  | HD  | HD   | HD  | n/a   | HX  | HX  | HX  | n/a   | n/a   |
| OS  | OS  | OS  | OS  | O   | O   | OS  | OS  | OS  | n/a   | n/a   | n/a   | MS  | MS   | MS  | S   | n/a   | MFS   | MFS   | MS  | MS  |
| Craftsman   | 3 panel scroll-top  |   |   | 4 panel blank-top   |   |   | 4P New England  | 6 panel blank-top   |   |   |   |   | 6 panel camber-top   |   |   | 3 Panel   |   |   |   |   |
|  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |   |   |
| HD  | HD  | HD  | HD  | HD  | HD  | HD  | HD  | n/a   | n/a   | n/a   | n/a   | n/a   | n/a  | n/a   | n/a   | HD/HX   | HD/HX   | HD/HX   |   |   |
| OFS   | OS  | OS  | OS  | OS  | OS  | OS  | OS  | OS  | OS  | OS  | OS  | OS  | OS   | OS  | OS  | n/a   | n/a   | n/a   |   |   |
| 6 panel   |   |   |   |   |   | 8 panel Parliament  |   |   | 9 Panel   |   | Flush   | Full glass  | 3 P  | 1/2 glass   | 3/4 glass   | Hollister   | Craftsman   | 1 P   |   |   |
|  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |   |   |
| HD  | HD  | HD  | HD  | HD  | HD  | HD  | HD  | n/a   | HD  | HD  | HD  | n/a   | HD   | n/a   | n/a   | n/a   | HX  | HD  | HD  |   |
| MOFS  | MOFS  | MOFS  | MOFS  | MOS   | MOS   | MOS   | MOS   | OS  | n/a   | n/a   | MOFS  | MOFS  | n/a  | MOFS  | MOFS  | MOFS  | n/a   | OS  | n/a   |   |

| Steel Legend |                             |
|--------------|-----------------------------|
| HD           | High definition Steel       |
| HX           | High definition Wide Emboss |
| n/a          | Not available               |

| Fiberglass Legend |                     |     |                   |
|-------------------|---------------------|-----|-------------------|
| M                 | Belleville Mahogany | S   | Belleville Smooth |
| O                 | Belleville Oak      | n/a | Not available     |
| F                 | Belleville Fir      |     |                   |

## TIP TO TIP FRAME SIZES

|   |                     |         |   |         |         |   |         |         |  |         |         |  |         |  |
|---|---------------------|---------|---|---------|---------|---|---------|---------|--|---------|---------|--|---------|--|
| <ul style="list-style-type: none"><li>• Structural frame construction</li><li>• Standard height 82 5/8"</li></ul> |                     |         | Single Door  |         |         | Door & 14" Sidelite  |         |         | Door & 2 x 14" Sidelites  |         |         | Double Door Garden Door Terrace Door  |         |  |
|   | Jamb Thickness >    | 1 1/4"  | 1 1/2"  | 1 5/8"  | 1 1/4"  | 1 1/2"  | 1 5/8"  | 1 1/4"  | 1 1/2"   | 1 5/8"  | 1 1/4"  | 1 1/2"   | 1 5/8"  |  |
| Slab Size   | 24" (23 3/4" x 79") | 25 3/8" | 25 7/8"   | 26 1/4" | 40 5/8" | 41 1/8"   | 41 1/2" | 55 7/8" | 56 3/8"  | 56 3/4" | 50 5/8" | 51 1/8"  | 51 1/2" |  |
|   | 28" (27 3/4" x 79") | 29 3/8" | 29 7/8"   | 30 1/4" | 44 5/8" | 45 1/8"   | 45 1/2" | 59 7/8" | 60 3/8"  | 60 3/4" | 58 5/8" | 59 1/8"  | 59 1/2" |  |
|   | 29" (28" x 75 7/8") | 29 5/8" | 30 1/8"   | 30 1/2" | N/A     |   |         | N/A     |  |         | 59 1/8" | 59 5/8"  | 60"     |  |
|   | 30" (29 3/4" x 79") | 31 3/8" | 31 7/8"   | 32 1/4" | 46 5/8" | 47 1/8"   | 47 1/2" | 61 7/8" | 62 3/8"  | 62 3/4" | 62 5/8" | 63 1/8"  | 63 1/2" |  |
|   | 32" (31 3/4" x 79") | 33 3/8" | 33 7/8"   | 34 1/4" | 48 5/8" | 49 1/8"   | 49 1/2" | 63 7/8" | 64 3/8"  | 64 3/4" | 66 5/8" | 67 1/8"  | 67 1/2" |  |
|   | 34" (33 3/4" x 79") | 35 3/8" | 35 7/8"   | 36 1/4" | 50 5/8" | 51 1/8"   | 51 1/2" | 65 7/8" | 66 3/8"  | 66 3/4" | 70 5/8" | 71 1/8"  | 71 1/2" |  |
|   | 35" (34" x 75 7/8") | 35 5/8" | 36 1/8"   | 36 1/2" | N/A     |   |         | N/A     |  |         | 71 1/8" | 71 5/8"  | 72"     |  |
|   | 36" (35 3/4" x 79") | 37 3/8" | 37 7/8"   | 38 1/4" | 52 5/8" | 53 1/8"   | 53 1/2" | 67 7/8" | 68 3/8"  | 68 3/4" | 74 5/8" | 75 1/8"  | 75 1/2" |  |
|   | 42" (41 3/4" x 79") | 43 3/8" | 43 7/8"   | 44 1/4" | 58 5/8" | 59 1/8"   | 59 1/2" | 73 7/8" | 74 3/8"  | 74 3/4" | 86 5/8" | 87 1/8"  | 87 1/2" |  |

Sizes shown with 14" sidelites without hinges. For door(s) with 12" sidelites, deduct 2" per sidelite. For 12" or 14" semi-active or fixed sidelites with hinges: Add 1/8" per sidelite.

| DOOR HEIGHTS         |              |                  |              |                 |
|----------------------|--------------|------------------|--------------|-----------------|
| SLAB HEIGHT          | INSWING      |                  | OUTSWING     | IN or OUTSWING  |
|                      | Regular Sill | Low Profile Sill | Regular Sill | Commercial Sill |
| 75 7/8" <sup>1</sup> | 79 1/2"      | 78 3/4"          | 79 1/4"      | 77 11/16"       |
| 79"                  | 82 5/8"      | 81 7/8"          | 82 3/8"      | 80 13/16"       |
| 84"                  | 87 5/8"      | 86 7/8"          | 87 3/8"      | 85 13/16"       |
| 95" <sup>2</sup>     | 98 5/8"      | 97 7/8"          | 98 3/8"      | 96 13/16"       |

Note 1 - Available in 29" or 35" slabs only.

Note 2 - If ordered without multipoint hardware the warranty against warping will be void.



## ABOUT STANDARD DOORS

Founded in 1974, Standard Doors manufactures high quality sliding and entrance doors in one of the most advanced green manufacturing facilities in the industry. We are proud to be certified members of IGMA, CWDMA and NFRC.

## OUR COMMITMENT TO THE ENVIRONMENT

At Standard, we believe in responsible manufacturing. All of our products are Energy Star certified and made in an environmentally responsible manufacturing facility. To read more about what we are doing for the environment, please visit:

<http://www.StandardDoors.com/Green.html>

## OUR COMMITMENT TO YOU

Sophistica doors are designed and engineered to meet the highest quality and performance standards. Our team is committed to providing you with exclusive features and elegant designs that will give your home that extra touch of class.



2300 Francis-Hughes ave., Laval, Quebec H7S 2C1  
Tel: 1-800-361-7535 Fax: 1-800-361-2939

[www.standarddoors.com](http://www.standarddoors.com)

[info@standarddoors.com](mailto:info@standarddoors.com)

*The* Sophistica  
COLLECTION

The manufacturer reserves the right to change or modify products without prior notice.

Printed in Canada  
05/2019

